














$V(v) = \text{FT}(\text{PrimarySource}(v)) + N$

THE WORLD'S





19911992








WINTER IS HERE



Spivak's
= 100





End of the world

divinity

dirty $\equiv$ *dirty* * [*primary source*]



Principes de physique

divy = *divy* *point* = *divy*



1023



airway



Barry - 1/1/20

divy
= I - 1
W S V









$$W = \exp \left\{ - \frac{(u^2 + v^2)}{t^2} \right\},$$













2021-01-01

Google

01000000





11

12

13

14





$$V(u=0, v=0) \stackrel{\text{FT}}{\rightleftharpoons} \sum_{ij \in \text{image}} \{B_{\text{primary}} \cdot I_{\text{source}}\}_{ij}.$$

Wavelengths of the

$$M(\alpha, \delta) = \frac{\sum_i \frac{B_i(\alpha, \delta)}{\sigma_i^2} F_i(\alpha, \delta)}{\sum_i \frac{B_i(\alpha, \delta)^2}{\sigma_i^2}},$$

1990











WORLDWIDE



$$N(\alpha, \delta) = \frac{\sum_i \frac{B_i(\alpha, \delta)}{\sigma_i^2} N_i(\alpha, \delta)}{\sum_i \frac{B_i(\alpha, \delta)^2}{\sigma_i^2}},$$

$$\sigma(\alpha, \delta) = \frac{\sqrt{\sum_i \frac{B_i(\alpha, \delta)}{\sigma_i^2}}}{\sum_i \frac{B_i(\alpha, \delta)^2}{\sigma_i^2}} = \frac{1}{\sqrt{\sum_i \frac{B_i(\alpha, \delta)^2}{\sigma_i^2}}}$$

1999-2000

1002















Ed
Innes



Ed



Ed
Source



Ed


1901

1902

Red

init
meas = $\text{Bdiry} * [\text{Bprimary} - \text{source}] + N$

1000



init
clean

=

Bclean

*

source

+

nv;

3.000



$$I_{\text{clean}}^{\text{int}} = \text{Highpass-filter}\{B_{\text{clean}} * I_{\text{source}}\} + N.$$

1970

$$V(v) = [E^{\text{primary}} * E^{\text{source}}](v, v) + N.$$







12345



2020-05-20

2000-02-0000