

























$$\sigma_K = \frac{T_{\text{sys}}}{\sqrt{2} dv \Delta t}.$$







$$\pi_{\text{sys}} = \sqrt{\pi_{\text{sys}} \pi_{\text{sys}}}$$







1992

2

100

$$\sigma_K = \frac{T_{\rm sys}}{\eta_{\rm spec} \sqrt{2} dv \Delta t}.$$





$$j_{\text{ant}}^{\text{sd}} = \frac{2k F_{\text{eff}}}{A_{\text{eff}}} ;$$










$$\sigma_{Jy} = \frac{J_{\text{ant}}^{\text{sd}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{2} dv \Delta t}.$$



$$\sqrt[n]{a_{ij}} = \sqrt[n]{a_{ii} a_{jj}}$$




and  
all








$$\sigma_{\mathrm{Jy}} = \frac{\left( J_{\mathrm{ant}}^{\mathrm{sd}} T_{\mathrm{sys}} \right)}{\eta_{\mathrm{spec}} \sqrt{n_{\mathrm{ant}} \left( n_{\mathrm{ant}} - 1 \right)} dv \Delta t},$$









$$j_{\text{ant}}^{\text{int}} = \frac{j_{\text{ant}}^{\text{sd}}}{\eta_{\text{atm}}}$$

WILLIAM

1871

1871





$$\text{rotation} = e^{-\frac{\phi^2}{2\pi m}} e^{i\pi}$$

$$\sigma_{Jy} = \frac{\langle J_{\text{ant}}^{\text{int}} T_{\text{sys}} \rangle}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} dv \Delta t}.$$

$$\sigma_{Jy} = \frac{\langle J_{\text{ant}}^{\text{int}} T_{\text{sys}} \rangle}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu \Delta t}, \quad \text{with} \quad J_{\text{ant}}^{\text{int}} = \frac{J_{\text{ant}}^{\text{sd}}}{\eta_{\text{atm}}} \quad \text{and} \quad \eta_{\text{atm}} = e^{-\frac{\phi_{\text{rms}}^2}{2}} \leq 1.0,$$



1000

1

1000



NEWBORN











$$j_{\text{ant}} = \frac{2k \Omega_{\text{ant}} F_{\text{eff}}}{\lambda^2} \cdot$$

QPR100

$$j_{\text{ant}}^{\text{int}} = \frac{j_{\text{ant}}^{\text{sd}}}{\eta_{\text{atm}}} = \frac{1}{\eta_{\text{atm}}} \frac{F_{\text{eff}}}{B_{\text{eff}}} \frac{2k\Omega_{\text{prim}}}{\lambda^2}.$$

QWERTY





2014

—  
—

1

1000

1000

1000

$$\sqrt{\frac{\rho_{\text{syn}}}{\rho_{\text{ant}}}} = \frac{2k\Omega_{\text{syn}}}{\lambda^2} \cdot$$

$$\sigma_K = \frac{\sigma_{Jy}}{J_{\text{ant}}^{\text{syn}}} \quad \text{with} \quad J_{\text{ant}}^{\text{syn}} = \frac{2\pi k \theta_{\text{maj}} \theta_{\text{min}}}{4 \ln 2 \lambda^2},$$

$$\sigma_K = \frac{\Omega_{\text{prim}}}{\Omega_{\text{syn}}} \left\langle \frac{F_{\text{eff}} T_{\text{sys}}}{B_{\text{eff}} \eta_{\text{atm}}} \right\rangle \frac{1}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu \Delta t} = \frac{\theta_{\text{prim}}^2}{\theta_{\text{maj}} \theta_{\text{min}}} \left\langle \frac{F_{\text{eff}} T_{\text{sys}}}{B_{\text{eff}} \eta_{\text{atm}}} \right\rangle \frac{1}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu \Delta t},$$

Qeios

A pixelated, grayscale version of the number 9. The image is composed of a grid of squares in various shades of gray, from black to white, arranged to form the shape of the digit 9. The style is reminiscent of early digital art or a low-resolution scan of a printed number.











100% 24



















$$T_{sys} = \frac{(1 + G_{im}) \exp \{ \tau_s A \}}{F_{eff}} [F_{eff} T_{atm} (1 - \exp \{ -\tau_s A \}) + (1 - F_{eff}) T_{cab} + T_{rec}],$$





Adrianus











$$\frac{1}{\langle T_{\text{sys}} \rangle^2} = \frac{1}{N} \sum \frac{1}{T_{\text{sys}}^2} \cdot$$







$$\sigma_{Jy} = \frac{j_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} dv n_{\text{pol}} \Delta t_{\text{on}}} .$$


$$\sigma_{Jy} = \frac{J_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu n_{\text{pol}} \Delta t_{\text{on}}} \quad \text{with} \quad J_{\text{ant}}^{\text{int}} = \frac{J_{\text{ant}}^{\text{sd}}}{\eta_{\text{atm}}} \quad \text{and} \quad \eta_{\text{atm}} = e^{-\frac{\phi_{\text{rms}}^2}{2}} \leq 1.0,$$



$$\sigma_K = \frac{\sigma_{Jy}}{J_{\text{ant}}^{\text{syn}}} \quad \text{with} \quad J_{\text{ant}}^{\text{syn}} = \frac{2\pi k \theta_{\text{maj}} \theta_{\text{min}}}{4 \ln 2 \lambda^2}.$$










$$\Delta t_{\text{setup}} = \Delta t_{\text{setupmin}} + (n_{\text{freq}} - 1) \Delta t_{\text{setup}} / \text{freq};$$

UCLA  
Engineering

△✱estvprifig







100%

$$\Delta t_{obs} = \Delta t_{tel} - n_{track} \times \Delta t_{setup}.$$

$$n_{\text{track}} = \frac{\Delta t_{\text{tel}}}{\Delta t_{\text{visible}} + \Delta t_{\text{setup}}},$$

Welding

0.95

[illegible]



— 2019

10000000

*△ + △ = △*

$\Delta t_{on}$

$=$


$\Delta t_{obs}$

$\times$

$\eta_{obs}$

A pixelated, grayscale image of the text "100%". The first "100%" is small and positioned on the left. To its right is a large, stylized "100%" that dominates the right half of the image. The characters are composed of various shades of gray and black pixels, giving it a low-resolution, digital-art appearance. The background is white.





$$\eta_{\text{obs}} = \frac{1}{\Omega_{\text{obs}}} \quad \text{with} \quad \Omega_{\text{obs}} = \Omega_{\text{min}} + n_{\text{gaincal}} n_{\text{freq}} \Omega_{\text{/freq/gaincal}}, \quad \Omega_{\text{min}} = 1.3, \quad \text{and} \quad \Omega_{\text{/freq/gaincal}} = 0.3.$$





Uppå  
Enligt

100%

100%

100%

A horizontal sequence of six grayscale images showing the progression of a handwritten digit '1'. The images are arranged from left to right, illustrating a denoising or refinement process. The first image on the left is highly noisy and pixelated, with the digit '1' barely discernible. As the sequence progresses through the middle images, the noise is gradually removed, and the digit becomes increasingly clear and smooth. The final image on the right is a clean, high-quality representation of the handwritten digit '1'.

2020-2021

opinion



$$\eta_{\text{tot}} = \frac{\Sigma \Delta t_{\text{on}}}{\Delta t_{\text{tel}}}$$




WORLD OF

$$\sigma_{Jy} = \frac{j_{\rm ant}^{\rm int} T_{\rm sys}}{\eta_{\rm spec} \sqrt{n_{\rm ant} (n_{\rm ant} - 1)} dv n_{\rm pol} \Delta t_{\rm on}},$$

$$\Delta t_{on} = \eta_{obs} \eta_{freq} (\Delta t_{tel} - n_{track} \times \Delta t_{setup}) ,$$





Wavelength

0.5

0.6

0.7

0.8

0.9

1.0







$$\sigma_{Jy} = \frac{j_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} dv n_{\text{pol}} \Delta t_{\text{on}}}$$

$$\Delta t_{\text{on}} = \eta_{\text{obs}} \eta_{\text{freq}} \left( \frac{\Delta t_{\text{tel}} - n_{\text{track}} \times \Delta t_{\text{setup}}}{n_{\text{sou}}} \right) .$$

A pixelated, grayscale image of the word "Amp" in a stylized, blocky font. The letters are composed of various shades of gray and black pixels, giving it a digital or retro aesthetic. The "A" is on the left, followed by "m", "p", and "e". The "m" and "p" have a distinct, jagged, and pixelated appearance, while the "e" is more rounded but still blocky. The overall style is reminiscent of early digital art or low-resolution computer graphics.



$$n_{\text{beam}} = \frac{A_{\text{map}}}{A_{\text{beam}}}$$

1990



$$A_{\text{beam}} = \frac{0.8 \pi \theta_{\text{prim}}^2}{4 \ln(2)} ;$$



$$\sigma_{Jy} = \frac{j_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} dv n_{\text{pol}} \Delta t_{\text{on}}}$$

$$\Delta t_{\text{on}} = \eta_{\text{obs}} \eta_{\text{mos}} \left( \frac{\Delta t_{\text{tel}} - n_{\text{track}} \times \Delta t_{\text{setup}}}{n_{\text{beam}}} \right), \quad \text{and} \quad \eta_{\text{mos}} = \frac{\Delta t_{\text{point/cycle}}}{\Delta t_{\text{point/cycle}} + \Delta t_{\text{slew}}},$$

penitence

1991




$$n_{\text{point}} = n_{\text{beam}} \left( \frac{7}{4} \right)^2,$$



Winnipeg

Winnipeg







$$\frac{\Delta t_{\text{int}}/\text{scan}}{1\text{s}} < < \frac{6900}{\theta_{\text{alias}}/\theta_{\text{syn}}},$$

Q112

QWID

$$\Delta t_{\text{int/scan}} \leq \eta \frac{6900}{1 \text{ sec}} \sqrt{\frac{\theta_{\text{maj}} \theta_{\text{min}}}{A_{\text{map}}}},$$











$$\leq \Delta t_{\text{int}/\text{scan}} = \min \left( 45 \text{ sec}, \eta \frac{6\,900}{1 \text{ sec}} \sqrt{\frac{\theta_{\text{maj}} \theta_{\text{min}}}{A_{\text{map}}}} \right) \quad \text{with} \quad \eta = 0.5.$$



A pixelated, black and white graphic of the text "The End of the World". The text is rendered in a highly stylized, jagged, and pixelated font, reminiscent of early digital art or video game titles. The letters are composed of various shades of gray and black pixels, giving it a textured, blocky appearance. The words are arranged in a single line, with "The" and "of" being smaller than "End" and "World". The overall aesthetic is reminiscent of early digital art or video game titles.






1990-1991

$$\eta_{\text{mos}} = \frac{\Delta t_{\text{point/cycle}}}{\Delta t_{\text{point/cycle}} + \Delta t_{\text{slew}}}$$



$$\Delta t_{\text{cycle}} = \Delta t_{\text{point/track}} (\Delta t_{\text{point/cycle}} + \Delta t_{\text{slw}}),$$

$\Delta t_{\text{point/cycle}} = \sqrt{\text{repeat}} \cdot t_{\text{point/cycle}} \cdot \Delta t_{\text{int/acc}}$



$$n_{\text{repeat/point/cycle}}^{\text{max}} = \frac{\Delta t_{\text{calmax}}/n_{\text{point/track}} - \Delta t_{\text{slew}}}{\Delta t_{\text{int/scan}}},$$

$$\eta_{\text{mos}} = 1 - \frac{n_{\text{point}} / \text{track} \Delta t_{\text{slew}}}{\Delta t_{\text{calmax}}} .$$

$$n_{\text{point/track}}^{\text{large}} = \text{floor} \left( \frac{\Delta t_{\text{calmax}}}{\Delta t_{\text{int/scan}} + \Delta t_{\text{slew}}} \right).$$

100% Clear

$$n_{\text{point}/\text{track}}^{\text{max}} = \frac{\Delta t_{\text{cyclenmax}}}{\Delta t_{\text{min}} + \Delta t_{\text{slew}}} \sim 150.$$



$$\Delta t_{\text{int}/\text{scan}} = \min \left\{ \Delta t_{\text{int}/\text{scan}}, \left( \frac{\Delta t_{\text{cyclmax}}}{n_{\text{point}/\text{track}}} - \Delta t_{\text{slew}} \right) \right\}.$$

$$\eta_{\min} = \frac{\Delta t_{\min}}{\Delta t_{\min} + \Delta t_{\text{slew}}} = 0.47.$$

$$n_{\text{beam}} = \frac{A_{\text{map}}}{A_{\text{beam}}}, \quad \text{where} \quad A_{\text{beam}} = \frac{0.8 \pi \theta_{\text{prim}}^2}{4 \ln(2)}.$$

$$n_{\text{point}} = n_{\text{beam}} \left(\frac{7}{4}\right)^2, \quad \text{and} \quad n_{\text{point}/\text{track}} = \min\left(n_{\text{point}}, \frac{n_{\text{point}}}{n_{\text{track}}}\right).$$

$$10 \text{ sec} \leq \Delta t_{\text{int/scan}} = \min \left( 45 \text{ sec}, \eta \frac{6900}{1 \text{ sec}} \sqrt{\frac{\theta_{\text{maj}} \theta_{\text{min}}}{A_{\text{map}}}} \right) \quad \text{with} \quad \eta = 0.5.$$


$$n_{\text{point/track}}^{\text{large}} = \text{floor} \left( \frac{\Delta t_{\text{calmax}}}{\Delta t_{\text{int/scan}} + \Delta t_{\text{slew}}} \right), \quad \text{where} \quad \Delta t_{\text{slew}} = 11 \text{ sec}, \quad \text{and} \quad \Delta t_{\text{calmax}} = 25 \text{ min}.$$

$\left( \text{point/track} \right) \leq \left( \text{large point/track} \right)$

$$n_{\text{repeat/point/cycle}}^{\text{max}} = \frac{\frac{\Delta t_{\text{calmax}}}{n_{\text{point/track}}} - \Delta t_{\text{slew}}}{\Delta t_{\text{int/scan}}}.$$



$\left( \text{point/track} \right) \rightarrow \left( \text{large point/track} \right)$



$$n_{\text{point/track}} \leq n_{\text{point/track}}^{\text{max}}, \quad \text{where} \quad n_{\text{point/track}}^{\text{max}} = \frac{\Delta t_{\text{cyclemax}}}{\Delta t_{\text{min}} + \Delta t_{\text{slew}}} \sim 150, \quad \text{and} \quad \Delta t_{\text{cyclemax}} = 60 \text{ min.}$$

$$\text{if } n_{\text{point/track}} > n_{\text{point/track}}^{\text{large}}, \quad \text{then } \Delta t_{\text{int/scan}} = \min \left\{ \Delta t_{\text{int/scan}}, \left( \frac{\Delta t_{\text{cyclemax}}}{n_{\text{point/track}}} - \Delta t_{\text{slew}} \right) \right\}.$$

$$\eta_{\text{mos}} = \frac{\Delta t_{\text{point/cycle}}}{\Delta t_{\text{point/cycle}} + \Delta t_{\text{slew}}}, \quad \text{and} \quad \Delta t_{\text{point/cycle}} = n_{\text{repeat/point/cycle}}^{\text{max}} \Delta t_{\text{int/scan}},$$

$$\Delta t_{\text{cycle}} = n_{\text{point}/\text{track}} (\Delta t_{\text{point}/\text{cycle}} + \Delta t_{\text{slew}}).$$

$$\sigma_{\text{Jy}} = \frac{J_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu n_{\text{pol}} \Delta t_{\text{on}}}, \quad \text{and} \quad \Delta t_{\text{on}} = \eta_{\text{obs}} \eta_{\text{mos}} \left( \frac{\Delta t_{\text{tel}} - n_{\text{track}} \times \Delta t_{\text{setup}}}{n_{\text{beam}}} \right).$$













$$\Omega_{\text{ant}}(\nu) = \int_{4\pi} P_{\text{ant}}(\theta, \phi, \nu) d\Omega,$$









airbnb




$$\Omega_{\text{fb}}(\nu) = \int_{2\pi} P_{\text{ant}}(\theta, \phi, \nu) d\Omega, \quad \text{and} \quad \Omega_{\text{mb}}(\nu) = \int_{\text{main lobe}} P_{\text{ant}}(\theta, \phi, \nu) d\Omega.$$

$$F_{\text{eff}} = \frac{\Omega_{\text{fb}}}{\Omega_{\text{ant}}}, \quad \text{and} \quad B_{\text{eff}} = \frac{\Omega_{\text{mb}}}{\Omega_{\text{ant}}}.$$

$$F_{\text{sou}}(\nu) = \int_{\text{source}} B(\theta, \phi, \nu) d\Omega,$$











90 100

$$F_{\text{obs}}(\theta_0, \phi_0, \nu) = \int_{\text{source}} B(\theta, \phi, \nu) P_{\text{ant}}(\theta - \theta_0, \phi - \phi_0, \nu) d\Omega,$$



$$F_{\text{obs}}(\theta_0, \phi_0, \nu) = \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$

$$P_{\text{int}}(\theta_0 - \theta, \phi_0 - \phi, v) = P_{\text{int}}(\theta - \theta_0, \phi - \phi_0, v).$$

$$B_{\text{obs}}(\theta_0, \phi_0, \nu) = \frac{1}{\Omega} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$











1990-1991

$$= \frac{1}{\Omega_{\text{ant}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$

1990-2000

$$= \frac{1}{\Omega_{\text{fb}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$

BEADPOWERS



$$= \frac{1}{\Omega_{\text{mb}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega.$$

$$B_{fb} = \frac{1}{F_{eff}} B_{ant} \quad \text{and} \quad B_{mb} = \frac{F_{eff}}{B_{eff}} B_{fb}.$$

over the world, over the world,


















$$T_{\text{mb}}(\theta_0, \phi_0, \nu) = \frac{1}{\Omega_{\text{mb}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega.$$





139059x1021

$$d\nu(\theta_0, \phi_0, \nu) = \frac{1}{2} A_{\text{eff}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega.$$







$$\eta_{\text{ant}} = \frac{A_{\text{eff}}}{A_{\text{geo}}} < 1;$$

$$A_{geo} = \pi \left( \frac{D_{ant}}{2} \right)^2 \cdot$$

$$\text{Aeff}(v) \text{ quant}(v) = \lambda^2,$$

$$B(\theta, \phi, \nu) = \frac{2kT}{\lambda^2},$$

$$d\nu(\theta_0, \phi_0, \nu) = \frac{1}{2} A_{\text{eff}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega = \frac{1}{2} A_{\text{eff}} \Omega_{\text{ant}}(\nu) \frac{2kT}{\lambda^2}.$$

www.loveis.org





$$A_{\text{eff}}(\nu)\Omega_{\text{fb}}(\nu)=\lambda^2 F_{\text{eff}}(\nu) \text{ and } A_{\text{eff}}(\nu)\Omega_{\text{mb}}(\nu)=\lambda^2 B_{\text{eff}}(\nu).$$

$$B_{\text{eff}}(\nu) = \eta_{\text{ant}} A_{\text{geo}} \frac{\Omega_{\text{mb}}(\nu)}{\lambda^2} \cdot$$

$$A_{\mathrm{geo}} = \frac{\pi}{4} D^2, \quad \frac{\Omega_{\mathrm{mb}}(\nu)}{\lambda^2} = \frac{\pi}{4 \ln 2} \left( \frac{\theta_{\mathrm{mb}}}{\lambda} \right)^2,$$

$$\theta_{mb} = \alpha \frac{\lambda}{D},$$

$$B_{\text{eff}}(\nu) = \frac{\pi^2}{16 \ln 2} a^2 \eta_{\text{ant}}(\nu) \simeq 0.88899 a^2 \eta_{\text{ant}}(\nu).$$









$$\eta_{\text{ant}}(\nu) = \eta_{\text{ant}}^0 \exp \left\{ - \left( \frac{4\pi\sigma}{\lambda} \right)^2 \right\}.$$