























$$\sigma_K = \frac{T_{\text{sys}}}{\sqrt{2} dv \Delta t}.$$







$$\pi_{\text{sys}} = \sqrt{\pi_{\text{sys}} \pi_{\text{sys}}}$$





1992

2

100

$$\sigma_K = \frac{T_{\rm sys}}{\eta_{\rm spec} \sqrt{2} dv \Delta t}.$$





$$j_{\text{ant}}^{\text{sd}} = \frac{2k F_{\text{eff}}}{A_{\text{eff}}},$$








$$\sigma_{Jy} = \frac{J_{\text{ant}}^{\text{sd}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{2} dv \Delta t}.$$

2017

$$\sqrt[n]{a_{ij}} = \sqrt[n]{a_{ji}}$$




and
all






$$\sigma_{\mathrm{Jy}} = \frac{\left(J_{\mathrm{ant}}^{\mathrm{sd}} T_{\mathrm{sys}} \right)}{\eta_{\mathrm{spec}} \sqrt{n_{\mathrm{ant}} \left(n_{\mathrm{ant}} - 1 \right)} dv \Delta t},$$









$$j_{\text{ant}}^{\text{int}} = \frac{j_{\text{ant}}^{\text{sd}}}{\eta_{\text{atm}}}$$

WILLIAM

1871

1871



$$\text{rotation} = e^{-\frac{\phi^2}{2\pi m}} e^{i\pi}$$

$$\sigma_{Jy} = \frac{\langle J_{\text{ant}}^{\text{int}} T_{\text{sys}} \rangle}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} dv \Delta t}.$$

$$\sigma_{Jy} = \frac{\langle J_{\text{ant}}^{\text{int}} T_{\text{sys}} \rangle}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu \Delta t}, \quad \text{with} \quad J_{\text{ant}}^{\text{int}} = \frac{J_{\text{ant}}^{\text{sd}}}{\eta_{\text{atm}}} \quad \text{and} \quad \eta_{\text{atm}} = e^{-\frac{\phi_{\text{rms}}^2}{2}} \leq 1.0,$$



1000

1

1000



NEWBORN





Q

W

W

W

W

W

W



$$j_{\text{ant}} = \frac{2k \Omega_{\text{ant}} F_{\text{eff}}}{\lambda^2} \cdot$$

QPR100

$$j_{\rm ant}^{\rm int} = \frac{j_{\rm ant}^{\rm sd}}{\eta_{\rm atm}} = \frac{1}{\eta_{\rm atm}} \frac{F_{\rm eff}}{B_{\rm eff}} \frac{2k\,\Omega_{\rm prim}}{\lambda^2}.$$

QWERTY



2014

—

1

1000

1000

1000

$$\sqrt{\frac{\rho_{\text{syn}}}{\rho_{\text{ant}}}} = \frac{2k\Omega_{\text{syn}}}{\lambda^2} \cdot$$

$$\sigma_K = \frac{\sigma_{Jy}}{J_{\text{ant}}^{\text{syn}}} \quad \text{with} \quad J_{\text{ant}}^{\text{syn}} = \frac{2\pi k \theta_{\text{maj}} \theta_{\text{min}}}{4 \ln 2 \lambda^2},$$

$$\sigma_K = \frac{\Omega_{\text{prim}}}{\Omega_{\text{syn}}} \left\langle \frac{F_{\text{eff}} T_{\text{sys}}}{B_{\text{eff}} \eta_{\text{atm}}} \right\rangle \frac{1}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu \Delta t} = \frac{\theta_{\text{prim}}^2}{\theta_{\text{maj}} \theta_{\text{min}}} \left\langle \frac{F_{\text{eff}} T_{\text{sys}}}{B_{\text{eff}} \eta_{\text{atm}}} \right\rangle \frac{1}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu \Delta t},$$

Qeios


QWERTY








100% 24

















$$T_{sys} = \frac{(1 + G_{im}) \exp \{ \tau_s A \}}{F_{eff}} [F_{eff} T_{atm} (1 - \exp \{ -\tau_s A \}) + (1 - F_{eff}) T_{cab} + T_{rec}],$$





Adrianus










$$\frac{1}{\langle T_{\text{sys}} \rangle^2} = \frac{1}{N} \sum \frac{1}{T_{\text{sys}}^2} \cdot$$

Band 1

Band 3









$$\sigma_{Jy} = \frac{j_{\rm ant}^{\rm int} T_{\rm sys}}{\eta_{\rm spec} \sqrt{n_{\rm ant} (n_{\rm ant} - 1)} dv n_{\rm pol} \Delta t_{\rm on}} .$$

$$\sigma_{Jy} = \frac{J_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu n_{\text{pol}} \Delta t_{\text{on}}} \quad \text{with} \quad J_{\text{ant}}^{\text{int}} = \frac{J_{\text{ant}}^{\text{sd}}}{\eta_{\text{atm}}} \quad \text{and} \quad \eta_{\text{atm}} = e^{-\frac{\phi_{\text{rms}}^2}{2}} \leq 1.0,$$

$$\sigma_K = \frac{\sigma_{Jy}}{J_{\text{ant}}^{\text{syn}}} \quad \text{with} \quad J_{\text{ant}}^{\text{syn}} = \frac{2\pi k \theta_{\text{maj}} \theta_{\text{min}}}{4 \ln 2 \lambda^2}.$$





[illegible]




$$\Delta t_{\text{setup}} = \Delta t_{\text{setupmin}} + (n_{\text{freq}} - 1) \Delta t_{\text{setup}} / \text{freq};$$

UCLA
Engineering

△✱welcome to the world





100%

$$\Delta t_{obs} = \Delta t_{tel} - n_{track} \times \Delta t_{setup}.$$

$$n_{\text{track}} = \frac{\Delta t_{\text{tel}}}{\Delta t_{\text{visible}} + \Delta t_{\text{setup}}},$$

Walden

0.95

[illegible]

— 2019

10000000

△ + △ = △

Δt_{on}


$=$

Δt_{obs}

$\times$

η_{obs}





$$\eta_{\text{obs}} = \frac{1}{\Omega_{\text{obs}}} \quad \text{with} \quad \Omega_{\text{obs}} = \Omega_{\text{min}} + n_{\text{gaincal}} n_{\text{freq}} \Omega_{\text{/freq/gaincal}}, \quad \Omega_{\text{min}} = 1.3, \quad \text{and} \quad \Omega_{\text{/freq/gaincal}} = 0.3.$$



Uppå
Enligt

100%

100%

100%

2020-2021

opinion




$$\eta_{\text{tot}} = \frac{\Sigma \Delta t_{\text{on}}}{\Delta t_{\text{tel}}}$$

WORLDWIDE

$$\sigma_{Jy} = \frac{j_{\rm ant}^{\rm int} T_{\rm sys}}{\eta_{\rm spec} \sqrt{n_{\rm ant} (n_{\rm ant} - 1)} dv n_{\rm pol} \Delta t_{\rm on}},$$

$$\Delta t_{on} = \eta_{obs} \eta_{freq} (\Delta t_{tel} - n_{track} \times \Delta t_{setup}) ,$$









$$\sigma_{Jy} = \frac{j_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} dv n_{\text{pol}} \Delta t_{\text{on}}}$$

$$\Delta t_{\text{on}} = \eta_{\text{obs}} \eta_{\text{freq}} \left(\frac{\Delta t_{\text{tel}} - n_{\text{track}} \times \Delta t_{\text{setup}}}{n_{\text{sou}}} \right) .$$

A pixelated, black and white graphic of the word "ALPHA" in a stylized, blocky font. The letters are composed of various shades of gray and black pixels, giving it a digital or retro aesthetic. The "A" is on the left, followed by "L", "P", "H", and "A" on the right. The overall style is reminiscent of early computer graphics or video game sprites.



$$n_{\text{beam}} = \frac{A_{\text{map}}}{A_{\text{beam}}}$$

1990



$$A_{\text{beam}} = \frac{0.8 \pi \theta_{\text{prim}}^2}{4 \ln(2)} ,$$

$$\sigma_{Jy} = \frac{j_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} dv n_{\text{pol}} \Delta t_{\text{on}}}$$

$$\Delta t_{\text{on}} = \eta_{\text{obs}} \eta_{\text{mos}} \left(\frac{\Delta t_{\text{tel}} - n_{\text{track}} \times \Delta t_{\text{setup}}}{n_{\text{beam}}} \right), \quad \text{and} \quad \eta_{\text{mos}} = \frac{\Delta t_{\text{point/cycle}}}{\Delta t_{\text{point/cycle}} + \Delta t_{\text{slew}}},$$


penitence






$$n_{\text{point}} = n_{\text{beam}} \left(\frac{7}{4} \right)^2,$$









$$\frac{\Delta t_{\text{int}}/\text{scan}}{1\text{s}} < < \frac{6900}{\theta_{\text{alias}}/\theta_{\text{syn}}},$$

Q112

QWID


$$\Delta t_{\text{int}/\text{scan}} \leq \eta \frac{6900}{1\text{sec}} \sqrt{\frac{\theta_{\text{maj}}\theta_{\text{min}}}{A_{\text{map}}}},$$








$$\leq \Delta t_{\text{int}/\text{scan}} = \min \left(45 \text{ sec}, \eta \frac{6\,900}{1 \text{ sec}} \sqrt{\frac{\theta_{\text{maj}} \theta_{\text{min}}}{A_{\text{map}}}} \right) \quad \text{with} \quad \eta = 0.5.$$



A pixelated, black and white graphic of the text "The End of the World". The text is rendered in a highly stylized, jagged, and somewhat abstract font. The letters are composed of various shades of gray and black pixels, giving it a digital or retro aesthetic. The words are arranged in a single line, with "The" and "of" being smaller and positioned between the larger words "End" and "World". The overall effect is one of a low-resolution, high-contrast digital image.





Pravda

$$\eta_{\text{mos}} = \frac{\Delta t_{\text{point/cycle}}}{\Delta t_{\text{point/cycle}} + \Delta t_{\text{slew}}}$$

$$\Delta t_{\text{cycle}} = \Delta t_{\text{point/track}} (\Delta t_{\text{point/cycle}} + \Delta t_{\text{slw}}),$$

$\Delta t_{\text{point/cycle}} = \sqrt{\text{repeat}} \Delta t_{\text{point/cycle}} \Delta t_{\text{acc}}$

$$n_{\text{repeat/point/cycle}}^{\text{max}} = \frac{\Delta t_{\text{calmax}}/n_{\text{point/track}} - \Delta t_{\text{slew}}}{\Delta t_{\text{int/scan}}},$$

$$\eta_{\text{mos}} = 1 - \frac{n_{\text{point}} / \text{track} \Delta t_{\text{slew}}}{\Delta t_{\text{calmax}}} .$$

$$n_{\text{point/track}}^{\text{large}} = \text{floor} \left(\frac{\Delta t_{\text{calmax}}}{\Delta t_{\text{int/scan}} + \Delta t_{\text{slew}}} \right).$$

1991-2000

$$n_{\text{point}/\text{track}}^{\text{max}} = \frac{\Delta t_{\text{cycl}}^{\text{max}}}{\Delta t_{\text{min}} + \Delta t_{\text{slew}}} \sim 150.$$

$$\Delta t_{\text{int}/\text{scan}} = \min \left\{ \Delta t_{\text{int}/\text{scan}}, \left(\frac{\Delta t_{\text{cyclmax}}}{n_{\text{point}/\text{track}}} - \Delta t_{\text{slew}} \right) \right\}.$$

$$\eta_{\min} = \frac{\Delta t_{\min}}{\Delta t_{\min} + \Delta t_{\text{slew}}} = 0.47.$$

$$n_{\text{beam}} = \frac{A_{\text{map}}}{A_{\text{beam}}}, \quad \text{where} \quad A_{\text{beam}} = \frac{0.8 \pi \theta_{\text{prim}}^2}{4 \ln(2)}.$$

$$n_{\text{point}} = n_{\text{beam}} \left(\frac{7}{4}\right)^2, \quad \text{and} \quad n_{\text{point/track}} = \min\left(n_{\text{point}}, \frac{n_{\text{point}}}{n_{\text{track}}}\right).$$


$$10 \text{ sec} \leq \Delta t_{\text{int/scan}} = \min \left(45 \text{ sec}, \eta \frac{6900}{1 \text{ sec}} \sqrt{\frac{\theta_{\text{maj}} \theta_{\text{min}}}{A_{\text{map}}}} \right) \quad \text{with} \quad \eta = 0.5.$$

$$n_{\text{point/track}}^{\text{large}} = \text{floor} \left(\frac{\Delta t_{\text{calmax}}}{\Delta t_{\text{int/scan}} + \Delta t_{\text{slew}}} \right), \quad \text{where} \quad \Delta t_{\text{slew}} = 11 \text{ sec}, \quad \text{and} \quad \Delta t_{\text{calmax}} = 25 \text{ min}.$$

$\left(\text{point/track} \right) \leq \left(\text{large point/track} \right)$

$$n_{\text{repeat/point/cycle}}^{\text{max}} = \frac{\frac{\Delta t_{\text{calmax}}}{n_{\text{point/track}}} - \Delta t_{\text{slew}}}{\Delta t_{\text{int/scan}}}.$$

$\left(\text{point/track} \right) \rightarrow \left(\text{large point/track} \right)$



$$n_{\text{point/track}} \leq n_{\text{point/track}}^{\text{max}}, \quad \text{where} \quad n_{\text{point/track}}^{\text{max}} = \frac{\Delta t_{\text{cyclemax}}}{\Delta t_{\text{min}} + \Delta t_{\text{slew}}} \sim 150, \quad \text{and} \quad \Delta t_{\text{cyclemax}} = 60 \text{ min.}$$

$$\text{if } n_{\text{point/track}} > n_{\text{point/track}}^{\text{large}}, \quad \text{then } \Delta t_{\text{int/scan}} = \min \left\{ \Delta t_{\text{int/scan}}, \left(\frac{\Delta t_{\text{cyclemax}}}{n_{\text{point/track}}} - \Delta t_{\text{slew}} \right) \right\}.$$

$$\eta_{\text{mos}} = \frac{\Delta t_{\text{point/cycle}}}{\Delta t_{\text{point/cycle}} + \Delta t_{\text{slew}}}, \quad \text{and} \quad \Delta t_{\text{point/cycle}} = n_{\text{repeat/point/cycle}}^{\text{max}} \Delta t_{\text{int/scan}},$$

$$\Delta t_{\text{cycle}} = n_{\text{point/track}} (\Delta t_{\text{point/cycle}} + \Delta t_{\text{slew}}).$$

$$\sigma_{\text{Jy}} = \frac{J_{\text{ant}}^{\text{int}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{n_{\text{ant}} (n_{\text{ant}} - 1)} d\nu n_{\text{pol}} \Delta t_{\text{on}}}, \quad \text{and} \quad \Delta t_{\text{on}} = \eta_{\text{obs}} \eta_{\text{mos}} \left(\frac{\Delta t_{\text{tel}} - n_{\text{track}} \times \Delta t_{\text{setup}}}{n_{\text{beam}}} \right).$$











$$\Omega_{\text{ant}}(\nu) = \int_{4\pi} P_{\text{ant}}(\theta, \phi, \nu) d\Omega,$$







airbnb




$$\Omega_{\text{fb}}(\nu) = \int_{2\pi} P_{\text{ant}}(\theta, \phi, \nu) d\Omega, \quad \text{and} \quad \Omega_{\text{mb}}(\nu) = \int_{\text{main lobe}} P_{\text{ant}}(\theta, \phi, \nu) d\Omega.$$

$$F_{\text{eff}} = \frac{\Omega_{\text{fb}}}{\Omega_{\text{ant}}}, \quad \text{and} \quad B_{\text{eff}} = \frac{\Omega_{\text{mb}}}{\Omega_{\text{ant}}}.$$

$$F_{\text{sou}}(\nu) = \int_{\text{source}} B(\theta, \phi, \nu) d\Omega,$$











$$F_{\text{obs}}(\theta_0, \phi_0, \nu) = \int_{\text{source}} B(\theta, \phi, \nu) P_{\text{ant}}(\theta - \theta_0, \phi - \phi_0, \nu) d\Omega,$$



$$F_{\text{obs}}(\theta_0, \phi_0, \nu) = \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$

$$P_{\text{int}}(\theta_0 - \theta, \phi_0 - \phi, v) = P_{\text{int}}(\theta - \theta_0, \phi - \phi_0, v).$$

$$B_{\text{obs}}(\theta_0, \phi_0, \nu) = \frac{1}{\Omega} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$









Is it possible to

$$= \frac{1}{\Omega_{\text{ant}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$

1990s

$$= \frac{1}{\Omega_{\text{fb}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega,$$

Beethoven's Op. 10, No. 1

$$= \frac{1}{\Omega_{\text{mb}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega.$$

$$B_{fb} = \frac{1}{F_{eff}} B_{ant} \quad \text{and} \quad B_{mb} = \frac{F_{eff}}{B_{eff}} B_{fb}.$$

$\partial/\partial t, \partial/\partial x, \partial/\partial y, \partial/\partial z, \partial/\partial t, \partial/\partial x, \partial/\partial y, \partial/\partial z,$
 $\partial/\partial t, \partial/\partial x, \partial/\partial y, \partial/\partial z,$
















$$T_{\text{mb}}(\theta_0, \phi_0, \nu) = \frac{1}{\Omega_{\text{mb}}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega.$$





13059x1021

$$d\nu(\theta_0, \phi_0, \nu) = \frac{1}{2} A_{\text{eff}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega.$$





$$\eta_{\text{ant}} = \frac{A_{\text{eff}}}{A_{\text{geo}}} < 1;$$

$$A_{geo} = \pi \left(\frac{D_{ant}}{2} \right)^2 \cdot$$

$$\text{Aeff}(v) \text{ quant}(v) = \lambda^2,$$

$$B(\theta, \phi, \nu) = \frac{2kT}{\lambda^2},$$

$$d\nu(\theta_0, \phi_0, \nu) = \frac{1}{2} A_{\text{eff}} \int_{\text{source}} B(\theta, \phi, \nu) \tilde{P}_{\text{ant}}(\theta_0 - \theta, \phi_0 - \phi, \nu) d\Omega = \frac{1}{2} A_{\text{eff}} \Omega_{\text{ant}}(\nu) \frac{2kT}{\lambda^2}.$$

www.loveis.org



$$A_{\text{eff}}(\nu)\Omega_{\text{fb}}(\nu)=\lambda^2 F_{\text{eff}}(\nu) \text{ and } A_{\text{eff}}(\nu)\Omega_{\text{mb}}(\nu)=\lambda^2 B_{\text{eff}}(\nu).$$

$$B_{\text{eff}}(v) = \eta_{\text{ant}} A_{\text{geo}} \frac{\Omega_{\text{mb}}(v)}{\lambda^2} \cdot$$

$$A_{\mathrm{geo}} = \frac{\pi}{4} D^2, \quad \frac{\Omega_{\mathrm{mb}}(\nu)}{\lambda^2} = \frac{\pi}{4 \ln 2} \left(\frac{\theta_{\mathrm{mb}}}{\lambda} \right)^2,$$

$$\theta_{mb} = \alpha \frac{\lambda}{D},$$

$$B_{\text{eff}}(\nu) = \frac{\pi^2}{16 \ln 2} a^2 \eta_{\text{ant}}(\nu) \simeq 0.88899 a^2 \eta_{\text{ant}}(\nu).$$







$$\eta_{\text{ant}}(\nu) = \eta_{\text{ant}}^0 \exp \left\{ - \left(\frac{4\pi\sigma}{\lambda} \right)^2 \right\}.$$