











$$\sigma_{\text{psw}}^{\text{track}} = \frac{2 T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}}, \quad \text{and} \quad \sigma_{\text{fsw}}^{\text{track}} = \frac{\sqrt{2} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}}.$$

$$\sigma_{\text{psw}}^{\text{otf}} = \frac{(\sqrt{n_{\text{beam}}} + \sqrt{n_{\text{submap}}}) T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}}, \quad \text{and} \quad \sigma_{\text{fsw}}^{\text{otf}} = \frac{\sqrt{2} n_{\text{beam}} T_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}}.$$













$$T_{sys} = \frac{(1 + G_{im}) \exp \{ \tau_s A \}}{F_{eff}} [F_{eff} T_{atm} (1 - \exp \{ -\tau_s A \}) + (1 - F_{eff}) T_{cab} + T_{rec}],$$





Adrianus











$$n_{\text{beam}} = \frac{A_{\text{map}}}{A_{\text{beam}}} \quad \text{with} \quad A_{\text{beam}} = \frac{\eta_{\text{grid}} \pi \theta^2}{4 \ln(2)}.$$

1000

1990

01234



www.fox.com

$$n_{\text{submap}} = \frac{A_{\text{map}}}{A_{\text{submap}}} \quad \text{with} \quad A_{\text{submap}} = \frac{\theta}{2.5} v_{\text{linear}} t_{\text{stable}}$$



spiral









199

W = 102

$$\frac{n_{\text{pol}} n_{\text{pix}}}{T_{\text{sys}}^2} = \sum_{i=1, n_{\text{pol}}, j=1, n_{\text{pix}}} \frac{1}{T_{\text{sys}_{ij}}^2}.$$

$$\sigma_{\text{psw}}^{\text{track}} = \frac{2 \overline{T}_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}}, \quad \text{and} \quad \sigma_{\text{fsw}}^{\text{track}} = \frac{\sqrt{2} \overline{T}_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}}.$$

W E R E D E



















[illegible]



$$\tan \alpha = \frac{1}{n_{\text{subscan}} \sqrt{n_{\text{pix}}}}.$$






















0123456789abcdefghijklmnopqrstuvwxyz



Artists







Adagio



degree = $\sqrt{\text{price}^2 + \text{cost}^2}$

$$\text{degree} = \sqrt[n]{\text{price}} - 1 \quad \sqrt[n]{\text{price}} + \sqrt[n]{\text{price}} - 1$$



$$\eta_{\text{edge}} = \frac{A_{\text{target}}}{A_{\text{target}} + A_{\text{edge}}}, \quad \text{with} \quad A_{\text{edge}} = n_{\perp} d_{\perp} d_{\text{edge}}.$$

$$\eta_{\text{edge}} = \frac{1}{1 + \frac{d_{\text{edge}}}{d_{\parallel}}} = \frac{1}{1 + \frac{d_{\text{edge}}}{a n_{\perp} d_{\perp}}}.$$

$$a = \frac{d_{\parallel}}{n_{\perp} d_{\perp}} \text{ with } a > 1 \text{ and } n_{\perp} \text{ integer.}$$

1991



$$v_1 d_1(d_1 + d_{edge}) = A_{chunk} v_{itb} A_{chunk} = v_{linear} d_1 t_{chunk}$$



$$n_{\perp}^2 + n_{\perp} \frac{d_{\text{edge}}}{ad_{\perp}} - \frac{A_{\text{chunk}}}{ad_{\perp}^2} = 0.$$

$$n_{\perp} = \frac{1}{2} \frac{d_{\text{edge}}}{a d_{\perp}} \left[\sqrt{1 + \frac{4a A_{\text{chunk}}}{d_{\text{edge}}^2}} - 1 \right].$$

$$\eta_{\text{edge}} = \frac{1}{1 + \frac{2}{\sqrt{1 + \frac{4a}{d_{\text{edge}}^2} A_{\text{chunk}} - 1}}}$$

$$\text{with } \frac{a A_{\text{chunk}}}{d_{\text{edge}}^2} = \frac{\theta}{4\delta} \frac{a f_{\text{dump}} t_{\text{chunk}}}{\left[\left(\sqrt{n_{\text{subscan}} n_{\text{pix}}} - \frac{1}{\sqrt{n_{\text{subscan}} n_{\text{pix}}}} \right) - \left(\sqrt{n_{\text{subscan}}} - \frac{1}{\sqrt{n_{\text{subscan}}}} \right) \right]^2}.$$

A pixelated, grayscale version of the number 9. The image is composed of a grid of squares in various shades of gray, creating a blocky, digital appearance. The number 9 is centered and occupies most of the frame.

A pixelated, black and white graphic of the word "Aurora". The letters are thick and blocky, with a jagged, pixelated edge. The 'A' is on the left, followed by 'u', 'r', 'o', 'a', 'u', 'r', 'a'. The 'u's and 'o' are lowercase, while the 'A' and 'r's are uppercase. The overall style is reminiscent of early digital art or a low-resolution font.

A large, pixelated number '1024000' in a light gray, monospace-style font. The digits are composed of a grid of small squares, giving it a retro, digital appearance. The number is positioned on the left side of the image, with the '1' and '0' being significantly larger than the subsequent digits.


advent











$$Q = \frac{A_{\text{chunk}}}{(n_{\perp} d_{\perp})^2} - \frac{d_{\text{edge}}}{n_{\perp} d_{\perp}}.$$

$$\text{degree} = \sqrt[n]{\text{price}} - \sqrt[n-1]{\text{price}}$$

$t_{\text{DSW chunk}} = 2 \text{ minutes}$ and $t_{\text{DSW chunk}} = 10 \text{ minutes}$.

$$A_{\text{chunk}} = \frac{\theta}{4} f_{\text{dump}} \frac{d_{\perp}}{n_{\text{subscan}}} t_{\text{chunk}}.$$

Apart from
mini
A class

7 min
edge

= 0.9




$$n_{\perp} = \text{floor} \left[\frac{\sqrt{A_{\text{target}}}}{d_{\perp}} \right],$$



if $_1 = 0$, then send an error message 'Area too small, raise $_1$ '



$$a = \frac{A_{\text{target}}}{(r_{\perp} d_{\perp})^2}.$$



$$n_{\perp} = \text{floor} \left\{ \frac{1}{2} \frac{d_{\text{edge}}}{d_{\perp}} \left[\sqrt{1 + \frac{4A_{\text{chunk}}}{d_{\text{edge}}^2}} - 1 \right] \right\},$$

$$Q = \frac{A_{\text{chunk}}}{(n_{\perp} d_{\perp})^2} - \frac{d_{\text{edge}}}{n_{\perp} d_{\perp}}.$$


$$\eta_{\text{edge}} = \frac{1}{1 + \frac{d_{\text{edge}}}{a n_{\perp} d_{\perp}}} \cdot$$

Apart from
mini
A class

$$A_{\text{new chunk}} = \frac{A_{\text{target}}}{\eta_{\text{edge}}} ;$$

$$t_{\text{chunk}}^{\text{new}} = t_{\text{chunk}} \frac{A_{\text{chunk}}^{\text{new}}}{A_{\text{chunk}}} ;$$

Achank - Achank - Achank - Achank





$$\text{redge}(A_{\text{map}}) + \text{redge}(A_{\text{map}}) = A_{\text{map}}$$

A pixelated, black and white graphic of the text "Amp / mades". The text is rendered in a stylized, blocky font with a dithered or pixelated appearance. The "A" is large and prominent, followed by "mp", then a forward slash, and finally "mades". The overall style is reminiscent of early digital art or low-resolution computer graphics.



1991 1991

$$A_{\text{map}}^{\text{pix}} = \frac{A_{\text{map}} / n_{\text{edge}}}{n_{\text{pix}}}.$$

$$\sigma_{\text{psw}}^{\text{otf}} = \frac{\left(\sqrt{n_{\text{beam}}^{\text{pix}}} + \sqrt{n_{\text{submap}}^{\text{pix}}} \right) \overline{T}_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}}, \quad \text{and} \quad \sigma_{\text{fsw}}^{\text{otf}} = \frac{\sqrt{2 n_{\text{beam}}^{\text{pix}}} \overline{T}_{\text{sys}}}{\eta_{\text{spec}} \sqrt{d\nu} n_{\text{pol}} \eta_{\text{tel}} t_{\text{tel}}},$$

pix
bead

2016-2017

$$n_{\text{beam}}^{\text{pix}} = \frac{A_{\text{map}}}{\eta_{\text{edge}} n_{\text{pix}} A_{\text{beam}}} \quad \text{and} \quad n_{\text{submap}}^{\text{pix}} = \frac{A_{\text{map}}}{\eta_{\text{edge}} n_{\text{pix}} A_{\text{submap}}^{\text{pix}}}$$

$$v_{\text{ith}} A_{\text{submap}}^{\text{pix}} = v_{\text{area}}^{\text{pix}} t_{\text{stable}} \text{ and } v_{\text{area}}^{\text{pix}} = \delta v_{\text{linear}}.$$

$$t_{\text{onoff}}^{\text{pix}} = \eta_{\text{edge}} \eta_{\text{tel}} t_{\text{tel}}^{\text{pix}} \text{ and } t_{\text{edge}}^{\text{pix}} = (1 - \eta_{\text{edge}}) \eta_{\text{tel}} t_{\text{tel}}.$$







