

CUBE

An IRAM software

Apr. 30th, 2024

Questions? Comments? Bug reports? Mail to: `gildas@iram.fr`

The GILDAS team welcomes an acknowledgment in publications
using GILDAS software to reduce and/or analyze data.

Please use the following reference in your publications:

<http://www.iram.fr/IRAMFR/GILDAS>

Documentation

In charge: J.Pety^{1,2}.

Active developers: S. Bardeau¹.

Main past contributors: V. de Souza¹.

Software

In charge: J.Pety^{1,2}.

Active developers: S. Bardeau¹.

Main past contributors: V. de Souza¹.

1. IRAM
2. Observatoire de Paris

Contents

1	In a nutshell	1
2	Internal Helps	3
2.1	ADM Language Internal Help	3
2.1.1	Language	3
2.1.2	DAG	3
2.1.3	DIRECTORY	3
2.1.4	FIND	3
2.1.5	FREE	3
2.1.6	HISTORY	4
2.1.7	IMPORT	4
2.1.8	LIST	4
2.1.9	SNAPSHOT	4
2.2	CUBE Language Internal Help	4
2.2.1	Language	4
2.2.2	AVERAGE	4
2.2.3	BASELINE	4
2.2.4	CIRCLE	4
2.2.5	CONSISTENCY	5
2.2.6	EXPORT	5
2.2.7	EXTRACT	5
2.2.8	FEATHER	5
2.2.9	FFT	5
2.2.10	HEADER	5
2.2.11	HISTO1D	5
2.2.12	LUMINOSITY	5
2.2.13	MOMENTS	6
2.2.14	NAN	6
2.2.15	NOISE	6
2.2.16	POLY2MASK	6
2.2.17	REPROJECT	6
2.2.18	RESAMPLE	6
2.2.19	RESIDUALS	6
2.2.20	ROTATE	6
2.2.21	SHUFFLE	7
2.2.22	SLICE	7
2.2.23	SMOOTH	7

2.2.24	SNR	7
2.2.25	SORT	7
2.2.26	STACK	7
2.2.27	STITCH	7
2.2.28	TEMPLATE	7
2.2.29	WINDOW	8

Chapter 1

In a nutshell

```
1  import raw/paws
2  list
3  update paws-pdbi+30m-12co10-1as-cube:cube /family 12co10
4  header 12co10:cube
5  open edited /like 12co10:cube /init copy
6  put /observatory +noema +30m
7  put /source NGC5194
8  close edited /like 12co10:edited,cube
9  view 12co10:edited,cube
10 baseline 12co10:edited,cube /poly 1 /line -120 +120
11 view
10 noise 12co10:baselined,line,cube /range -120 120
11 bit
12 snr 12co10:baselined,line,cube 12co10:noise
13 view
14 segment 12co10:snr
14 @ show-segments
15 detect 12co10:baseline,line,cube 12co10:segments /range -120 +120
16 view 12co10:residuals
17 moments 12co10:detected
18 show /moments signal
19 show /moments noise
20 show /moments snr
21 memory
21 snapshot
22 free
23 memory
```


Chapter 2

Internal Helps

2.1 ADM Language Internal Help

2.1.1 Language

type ADM? for language summary

2.1.2 DAG

Type DAG ? for help

2.1.3 DIRECTORY

Type DIRECTORY ? for help

2.1.4 FIND

type FIND ? for help

2.1.5 FREE

type FREE ? for help

2.1.6 HISTORY

type HISTORY ? for help

2.1.7 IMPORT

type IMPORT ? for help

2.1.8 LIST

type LIST ? for help

2.1.9 SNAPSHOT

type SNAPSHOT ? for help

2.2 CUBE Language Internal Help

2.2.1 Language

type CUBE? for language Summary

2.2.2 AVERAGE

Type AVERAGE ?[?[?]] for help.

2.2.3 BASELINE

Type BASELINE ?[?[?]] for help.

2.2.4 CIRCLE

Type CIRCLE ?[?[?]] for help.

2.2.5 CONSISTENCY

Type CONSISTENCY `?[?[]]` for help.

2.2.6 EXPORT

Type EXPORT `?[?[]]` for help.

2.2.7 EXTRACT

Type EXTRACT `?[?[]]` for help.

2.2.8 FEATHER

Type FEATHER `?[?[]]` for help.

2.2.9 FFT

Type FFT `?[?[]]` for help.

2.2.10 HEADER

Type HEADER `?[?[]]` for help.

2.2.11 HISTO1D

Type HISTO1D `?[?[]]` for help.

2.2.12 LUMINOSITY

Type LUMINOSITY `?[?[]]` for help.

2.2.13 MOMENTS

Type `MOMENTS` `?[?[]]` for help.

2.2.14 NAN

Type `NAN` `?[?[]]` for help.

2.2.15 NOISE

Type `NOISE` `?[?[]]` for help.

\"=====

2.2.16 POLY2MASK

type `POLY2MASK` `?[?[]]` for help.

2.2.17 REPROJECT

type `REPROJECT` `?[?[]]` for help.

2.2.18 RESAMPLE

type `RESAMPLE` `?[?[]]` for help.

2.2.19 RESIDUALS

type `RESIDUALS` `?[?[]]` for help.

2.2.20 ROTATE

type `ROTATE` `?[?[]]` for help.

2.2.21 SHUFFLE

type SHUFFLE ?[?[]] for help.

2.2.22 SLICE

type SLICE ?[?[]] for help

2.2.23 SMOOTH

type SMOOTH ?[?[]] for help

2.2.24 SNR

type SNR ?[?[]] for help

2.2.25 SORT

type SORT ?[?[]] for help

2.2.26 STACK

type STACK ?[?[]] for help

2.2.27 STITCH

type STITCH ?[?[]] for help

2.2.28 TEMPLATE

type TEMPLATE ?[?[]] for help

2.2.29 WINDOW

type WINDOW ?[?[] for help