










responsible for the










152





















Wiederherstellung







Wiederherstellung




$$N_s = \text{int}\left(\frac{x_{\max,s} - x_{\min,s}}{r_s} + 1.5\right);$$



www.xinxiang.gov.cn













Averaged channel intensity and weight (aligned spectra):

$$T_S(i) = \frac{w_R(i) \times T_R(i) + w_T(i) \times T_T(i)}{w_R(i) + w_T(i)} \quad (1)$$

$$w_S(i) = w_R(i) + w_T(i) \quad (2)$$



















WAVELENGTHS

$$\text{pdf}_R(x) = \frac{1}{\sigma_R \sqrt{2\pi}} \exp\left(-\frac{(x - \mu_R)^2}{2\sigma_R^2}\right)$$





VERIFIED OR 2

WORLD

$$w_R(i) = \frac{1}{\sigma_R(i)^2}$$

Resampled channel intensity (all weights):

$$T_{R'}(i) = \frac{\sum_{j=j_{\min}}^{j_{\max}} f_R(j) \times w_R(j) \times T_R(j)}{\sum_{j=j_{\min}}^{j_{\max}} f_R(j) \times w_R(j)} \quad (3)$$



0000000



0 1 2 3 4 5 6





$$\beta = \sum_{j=j_{\min}}^{j_{\max}} f_R(j) \times w_R(j)$$

$$o_R(\omega) = \frac{f_R(\omega) \times w_R(\omega)}{\rho}$$

1900

$$T_{R'}(i) = \sum_{j=j_{\min}}^{j_{\max}} a_R(j) \times T_R(j)$$

WORLD

WIRTSCHAFTS

$$\text{var} \left(\sum_{j=j_{\min}}^{j_{\max}} \alpha_R(j) \times T_R(j) \right)$$

$$\sum_{j=j_{\min}}^{j_{\max}} \alpha_R(j)^2 \times \text{var} \left(T_R(j) \right)$$

$$\frac{1}{\beta^2} \sum_{j=j_{\min}}^{j_{\max}} f_R(j)^2 w_R(j)$$

$$\text{var}(aX + bY) = a^2 \text{var}(X) + b^2 \text{var}(Y)$$









Resampled channel weight (weights TIME and SIGMA):

$$w_{R'}(i) = \frac{\left(\sum_{j=j_{\min}}^{j_{\max}} f_R(j) w_R(j) \right)^2}{\sum_{j=j_{\min}}^{j_{\max}} f_R(j)^2 w_R(j)} \quad (4)$$

























[illegible]







OR

=

OR

OR

ORANGE

www.rw





Resampled channel weight (weight EQUAL):

$$w_{R'}(i) = \frac{\sum_{j=j_{\min}}^{j_{\max}} f_R(j) w_R(j)}{\sum_{j=j_{\min}}^{j_{\max}} f_R(j)} \quad (5)$$

WORLD







Averaged channel intensity and weight (non-aligned spectra):

$$T_S(i) = \frac{w_{R'}(i) \times T_{R'}(i) + w_{T'}(i) \times T_{T'}(i)}{w_{R'}(i) + w_{T'}(i)} \quad (6)$$

$$w_S(i) = w_{R'}(i) + w_{T'}(i) \quad (7)$$










2017





1992-2016





$$\frac{t_{S_{out}} \times |r_{S_{out}}|}{T_{sys,S_{out}}^2} = \frac{t_{S_{in}} \times |r_{S_{in}}|}{T_{sys,S_{in}}^2} + \frac{t_{obs} \times |r_{obs}|}{T_{sys,obs}^2}$$


1990-2010

A pixelated, grayscale version of the Google logo. The letters are composed of a grid of black and white pixels, giving it a retro, low-resolution appearance. The logo is centered horizontally and takes up most of the width of the image.



valis, valis, valis

$f(\text{chad}) = f(\text{rees}) \times f(\text{chad}) = f(\text{chad}) + f(\text{oi})$



various frequencies of banding

WORLDWIDE





2020-2021

WORLDWIDE



val,as,out

Free, open, free, open